## **BELOW GROUND GRP CYLINDRICAL WATER STORAGE TANK**



Diameter (mm)	Capacity (litres)	Length (mm)
1000	1000	1400
1000	2500	3310
1000	5000	6493
1200	2500	2366
1200	4500	4135
1200	8000	7230
1500	6000	3635
1500	9000	5343
1500	15000	8738
1800	12000	5016
1800	18000	7374
1800	30000	12090
2500	22000	4930
2500	40000	8600
2500	60000	12670
2500	84000	17560
3000	50000	7570
3000	90000	13230
3000	120000	17480
3000	150000	21720
4000	100000	8610
4000	180000	14980
4000	240000	19750
4000	275000	22540

For underground water storage requirements our wide range of waste water, rain water harvested and potable water storage tanks provide the solution.

Manufactured from Glass Reinforced Polyester with a cylindrical design these below ground water holding tanks come with a wide range of size and capacity with the option for concrete on granular surround.

Standard equipment:

- 1 x 600mm x 1000mm Access manway
- 1 x Inlet, outlet & overflow
- 1 x Lockable pedestrian cover & frame

Other equipment include:

additional turret, access ladders, filtration and pumping solutions.

Standard tanks are available in capacities from 1m<sup>3</sup> (220 UK gallons) to 275m<sup>3</sup> (60,500 UK gallons) and in diameters from 1.0m to 4.0m and lengths from 1.4m to 22.5m. The volume of storage can be increased further by interconnecting tanks onsite.



Visit our website @ www.maddisonwatertech.co.uk

☎ 01775 725131. 🛛 🗄 01775 760730.

⊠sales@maddisonwatertech.co.uk