

VERTICAL TANKS 500 - 5500 LITRES

**ENDURAMAXX WATER TANKS ARE
BACKED WITH A 10 YEAR WARRANTY***

(CONDITIONS APPLY)



SMALL WATER TANKS

Features

- Manufactured from UV stabilised polyethylene, Enduramaxx tanks are tough and durable
- Ribbed design provides added strength and attractive appearance
- Enduramaxx tanks do not rust or corrode, are impact resistant and long lasting
- Guaranteed one-piece tank construction ensures long term structural strength
- Larger outlets available upon request

Enduramaxx tanks are rotationally moulded as a 'one-piece' tank. At no stage is the roof removed and screwed back on. A carefully programmed manufacturing process ensures maximum wall thickness at the base - where it needs it most.



**Now Available – 5500 Litre
Low Profile Tank**

172214

**TANKS
ARE
SUPPLIED
WITH...**

- Inlet Strainer (*can be purchased separately*)
- 1 x BSP Outlet.
Additional outlets are available as an option at extra cost -
See page 14 - 15

CODE	CAPACITY		DIAMETER (MM)	OVERALL HEIGHT (MM)	OUTLET SIZE	ACCESS POINT (MM)
	LITRES	GALLONS				
172505	500	110	700	1435	1.5"	455
172507	720	158	700	2150	1.5"	455
172205	1250	275	1200	1200	1.5"	455
172210	2500	550	1400	1800	1.5"	455
172212	4000	881	1900	1650	2"	620
172215	5000	1100	1900	1960	2"	620
172214	5500	1211	2600	1320	2"	620

WRAS Approved Potable Water Tanks

The black WRAS Approved Potable Water Tanks are suitable for storage of potable water when fitted with the Byelaw 30 kit. (Byelaw 60 kit for Scotland).

Please specify when ordering.

VERTICAL TANKS 6000 - 12000 LITRES

Large Water Tanks

172225

172220



172218

172217

Features

- Manufactured from UV stabilised polyethylene, Enduramaxx tanks are tough and durable
- Ribbed design provides added strength and attractive appearance
- Enduramaxx tanks do not rust or corrode, are impact resistant and long lasting
- Guaranteed one-piece tank construction ensures long term structural strength
- Larger outlets available upon request

Enduramaxx tanks are rotationally moulded as a one-piece tank. At no stage is the roof removed and screwed back on. A carefully programmed manufacturing process ensures maximum wall thickness at the base - where it needs it most.



VERTICAL TANKS 16000 - 25000 LITRES

Large Water Tanks



172235

172240

172230

**ENDURAMAXX
WATER TANKS**



TANKS ARE SUPPLIED WITH...

- Inlet Strainer (*can be purchased separately*)
- 1 x BSP Outlet. Additional outlets are available as an option at extra cost - *See page 14 - 15*

CODE	CAPACITY		DIAMETER (MM)	OVERALL HEIGHT (MM)	OUTLET SIZE	ACCESS POINT (MM)
	LITRES	GALLONS				
172216	6000	1321	1900	2280	2"	620
172217	7000	1541	2400	1820	2"	620
172218	8500	1872	2600	2063	2"	620
172220	10000	2202	2400	2500	2"	620
172225	12500	2753	2600	2600	2"	620
172230	16800	3700	2600	3410	2"	620
172235	20800	4580	2600	4150	2"	620
172240	25000	5506	2700	4650	2"	620

*(Conditions Apply)

WRAS Approved Potable Water Tanks

The black WRAS Approved Potable Water Tanks are suitable for storage of potable water when fitted with the Byelaw 30 kit. (Byelaw 60 kit for Scotland).

Please specify when ordering.